

Figure 3-33. Annual minimum temperature at sites sampled by GA DNR CRD during 1998-2008 for programs noted on maps.




Figure 3-33 continued.




Figure 3-34. Annual median temperature at sites sampled by GA DNR CRD during 1998-2008 for programs noted on maps.




Figure 3-34 continued.




Figure 3-35. Annual maximum temperature at sites sampled by GA DNR CRD during 1998-2008 for programs noted on maps.






Figure 3-35 continued.




Figure 3-36. Annual minimum salinity at sites sampled by GA DNR CRD during 1998-2008 for programs noted on maps.




Figure 3-36 continued.






Figure 3-37. Annual median salinity at sites sampled by GA DNR CRD during 1998-2008 for programs noted on maps.




Figure 3-37 continued.




Figure 3-38. Annual maximum salinity at sites sampled by GA DNR CRD during 1998-2008 for programs noted on maps.




Figure 3-38 continued.

### 3. Trends

### The Condition of Georgia's Coastal Waters




Figure 3-39. Annual minimum pH at sites sampled by GA DNR CRD during 2004-2008 for programs noted on maps.






Figure 3-40. Annual median pH at sites sampled by GA DNR CRD during 2004-2008 for programs noted on maps.




Figure 3-41. Annual maximum pH at sites sampled by GA DNR CRD during 2004-2008 for programs noted on maps.




Figure 3-42. Annual minimum dissolved oxygen at sites sampled by GA DNR CRD during 2000-2008 for programs noted on maps.

### 3. Trends

### The Condition of Georgia's Coastal Waters






Figure 3-42 continued.




Figure 3-43. Annual median dissolved oxygen at sites sampled by GA DNR CRD during 2000-2008 for programs noted on maps.



### 3. Trends

### The Condition of Georgia's Coastal Waters






Figure 3-43 continued.




Figure 3-44. Annual maximum dissolved oxygen at sites sampled by GA DNR CRD during 2000-2008 for programs noted on maps.

### 3. Trends

### The Condition of Georgia's Coastal Waters






Figure 3-44 continued.




Figure 3-45. Annual median turbidity at sites sampled by GA DNR CRD during 2005-2008 for programs noted on maps.

### 3. Trends

### The Condition of Georgia's Coastal Waters




Figure 3-46. Annual maximum turbidity at sites sampled by GA DNR CRD during 2005-2008 for programs noted on maps.






Figure 3-47. Annual minimum silicate at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-48. Annual median silicate at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-49. Annual maximum silicate at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-50. Annual maximum ammonia + ammonium at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-51. Annual maximum nitrite at sites sampled by GA DNR CRD during 2001-2006 for programs noted on maps.






Figure 3-52. Annual minimum nitrate at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-53. Annual median nitrate at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-54. Annual maximum nitrate at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-55. Annual minimum dissolved inorganic nitrogen at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-56. Annual median dissolved inorganic nitrogen at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.






Figure 3-57. Annual maximum dissolved inorganic nitrogen at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-58. Annual median orthophosphate at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-59. Annual maximum orthophosphate at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-60. Annual median total dissolved phosphorus at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.




Figure 3-61. Annual maximum total dissolved phosphorus at sites sampled by GA DNR CRD during 2002-2006 for programs noted on maps.






Figure 3-62. Annual maximum fecal coliforms at sites sampled by GA DNR CRD during 1998-2006 for programs noted on maps.




Figure 3-62 continued.

### 3. Trends

### The Condition of Georgia's Coastal Waters




Figure 3-63. Annual maximum Enterococci at sites sampled by GA DNR CRD during 2005-2008 for programs noted on maps.